



DEAD AIR SILENCERS **ACCESSORY FITMENT GUIDE**

Thank you to all of our loyal customers. This guide is here to help familiarize you with the available accessories compatible with your silencer.

While we try to be as thorough as possible, we are always here ready to help. If you require further information or clarification don't hesitate to give us a call at 801-857-4232, or email info@deadairsilencers.com



DEAD AIR
silencers

SUPPRESSOR FIREARM APPLICATION & RECOMMENDED MINIMUM BARREL LENGTH

* = OPTIMIZED: Silencer is optimized for the caliber, not optimized for the barrel length restrictions. Silencer will perform best with barrels designed for full powder burn.

⊕ = Hunter's preference

SUPPRESSOR MODEL			HANDGUN			AR-15/SEMI AUTO	
	Rimfire	5.7mm	.45 ACP	9mm	PCC Sub-Gun 9mm	5.56/.223	6mm ARC
Mask	* All	All					
Odessa 9				All			
Ghost 45		All	* All	All	All		
Wolfman		All		All	* All	All	
Mojave 9		All		* All	All		
Lazarus 6		All				* All	All
Sierra 5		All				* All	
Sandman K		All				All	All
Sandman S						All	All
Sandman L						All	All
Nomad 30						All	All
Nomad L						All	All
Nomad Ti XC ⊕						12.5"	12.5"
Nomad LTI XC ⊕						12.5"	12.5"
Wolverine						All	All
Primal			All	All	All	All	All
Nomax 33 ⊕						All	All

AR-15/SEMI AUTO	AK TYPE	AR-10	BOLT ACTION (HUNTING/PRS)			
			Up to 300 RUM	Up to .338 Lapua	8.6 BLK	Big Bore up to .458 Cal
.300 BLK	7.62x39	.308/6.5CM				
All	All					
All						
All	All	All	All			
All	All	* All	All			
All	All	All	* All			
All	All	* All	All			
All	All	All	* All			
6" [subs]	12.5"	* 12.5"	12.5"			
6" [subs]	12.5"	12.5"	* 12.5"			
All	* All	All	All			
All	All	All	All	All	8"	* All
All	All	All	All	* 18"	All	

Model Name	Materials	Length/Weight	Full Auto Rated	Bore Caliber
Mask	17-4 PH Stainless Steel Baffles, Titanium 3Al-2.5V Grade 9 Tube	5.1"/6.6oz	Y	.22 Caliber
Odessa 9	4140 Heat Treated Steel / 17-4 PH Stainless Steel	8.25/10.1oz	N	9mm
Mojave 9	6AL-4V DMLS Titanium, 7075 Aluminum, Stainless Steel	5.89"/8.2oz 7.64"/9.6oz	Y (caliber specific)	9mm
Wolfman	17-4 PH Stainless Steel Fully-Welded Construction	5.13"/9.8oz 9.8"/14.4oz	Y	9mm
Wolfman KMQD Kit	17-4 PH Stainless Steel Fully-Welded Construction	6.35"/13.8oz 8.75"/19.2oz	Y	9mm
Ghost 45	17-4 PH Stainless Steel Baffles, Titanium 3Al-2.5V Grade 9 Tube, 7075 Alu Module	6.2"/9.6oz 8.75"/12oz	Y	45ACP
Sierra5XM	Cobalt 6 Baffles, 17-4PH Stainless Steel Welded Core, Stainless Steel Tube	5.7"/13.3oz	Y	.22 Caliber
Sierra5KM		6.2"/15.4oz		
Lazarus 6	Haynes 282	Xeno: 5.89"/16.5oz KeyMo: 6.4"/18.4oz	Y	6mm
Sandman K	Cobalt 6 Baffles, 17-4 PH Stainless Steel Welded Core, Stainless Steel Tube	5.4"/12.8oz	Y	.30 Caliber
Sandman S		6.8"/17.7oz		
Sandman L		8.9"/21.8oz		
Nomad 30	17-4 PH Stainless Steel Fully Welded Construction	6.5"/14.5oz	Y	.30 Caliber
Nomad L		8.4"/18.3oz		
Nomad Ti XC	Grade 5 6Al-4V Titanium	6.74"/9.6oz	N	.30 Caliber
Nomad LTi XC		8.8"/12.2oz		
Wolverine	Cobalt 6 Baffles, 17-4 PH Stainless Steel Welded Core, Stainless Steel Tube	7.4"/19.8-24.04oz	Y	.30 Caliber
Primal	17-4 PH Stainless Steel Fully Welded Construction	7.9"/16.5oz	Y	.458 Caliber
Nomax 33	Grade 5 6Al-4V Titanium	9.6"/15.4oz	N	.33



Max Muzzle Energy (ft-lbs)	Calibers Rating	Accessories Included
850	.22LR, 22MAG, 17HMR, 17WSM to 5.7x28	1/2-28 Direct Thread Mount, Front Cap Tool
500	22LR, 22MAG, 5.7x28, 32Auto, 9mm	DD440 1/2-28 Odessa Piston, Front Cap Tool, Wrenches
1900	9mm, 300BLK Sub (full-auto) 350 Legend, 300BLK Supersonic (semi-auto)	1/2-28 Piston
2000	.380, .38 Special, 357 Mag, 9mm, .300BLK, 7.62x39, 9x39, .350 Legend	DA410 Direct Thread 1/2-28 Mount, Front Cap Tool, TLPACK
2000	.380, .38 Special, 357 Mag, 9mm, .300BLK, 7.62x39, 9x39, .350 Legend	DA109 KeyMount Micro 1/2-28 Brake, DA451 KeyMicro Adapter, DA208 Front Cap Tool, TLPACK
850	.380, .357Mag, 9mm, 45ACP, 30 Carbine, 300BLK(Subsonic)	SD500 Booster Assembly (piston required), Front Cap Tool
2200+	5.56 / .223, .224 Valkyrie	DA121 1/2-28 Xeno FH, FH End Cap, TLPack
		DA301 1/2-28 KeyMo FH, FH End Cap, TLPack
2200+	6mm, 5.56/.223	DA121 1/2-28 Xeno FH & DA455 Xeno Adapter, or DA301 1/2-28 KeyMo FH & KeyMo Adapter; FH End Cap, TLPack
4200	Up to 300 RUM	DA102 5/8-24 Key Mo Muzzle Brake and Shim Kit
4400	Up to 300 RUM	LT302 5/8-24 Direct Thread Mount, TLPACK
4400	Up to 300 RUM	DA124 5/8-24 Omni Brake & DA455 Xeno Adapter, or LT302 5/8-24 Direct Thread Mount, TLPACK
		DA124 5/8-24 Omni Brake & DA455 Xeno Adapter, TLPACK
4200	Up to 300 RUM	WV200 14x1LH Insert & Collar, Wolverine Wrench
5100	.458 Caliber -energies up to .338 Lapua	LT302 5/8x-24 Direct Thread Mount, SD502 Hub to P-series Adapter, TLPACK
6800	.33XC	DA150 5/8-24 Xemax Muzzle Brake & DA456HT Xemax Adapter

MASK



Learn more about the Mask-HD ↑

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!



MASK



Rating Rimfire, 5.7x28, .22 Hornet, .17 Hornet

Dimensions 5.1" x 1.07"

Weight 6.6 oz

Materials Titanium, Stainless Steel



MUZZLE ACCESSORIES	
DA423	1/2-28 Spacer
DA424	Thread Protector, 1/2-28
THREAD ADAPTERS	
DA419	Walther P22 to 1/2-28
DA420	SIG Mosquito to 1/2-28
DA421	GSG 1911 to 1/2-28
DA422	FN 5.7 to 1/2-28



ACCESSORY FITMENT GUIDE

ODESSA 9

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!



ODESSA 9

Rating9mm

Dimensions8.25" (w/piston) / 7.75" (w/out) x 1.1"

Weight10.1 oz (w/piston & spring) / 7.4 oz (w/out)

Materials17-4 Stainless Steel

ODESSA FIXED MOUNTS


DD111	Odessa Fixed Mount 1/2-28, 9mm Bore
DD112	Odessa Fixed Mount M13.5x1LH, 9mm Bore

ODESSA PISTONS

DD440	Odessa Piston 1/2-28, 9mm Bore
DD441	Odessa Piston M13.5x1LH, 9mm Bore
DA013	Piston Spring for Ghost, Odessa, Mojave 9

ODESSA ACCESSORIES

DA015	Odessa Booster Shims
DM3000	P-Series Front Cap Tool




Learn more about the Odessa 9 ↑

ACCESSORY FITMENT GUIDE


MOJAVE 9™

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!

ACCESSORY FITMENT GUIDE




Xeno Mounts




Xeno P-Series Adapter


XENO ADAPTER & MOUNTS




KeyMo Zero



Micro Flash Hider




Micro Brake




Keymicro Adapter


KEYMICRO ADAPTER & MOUNTS




Mojave 9 Booster Assembly



Mojave 9 Front Cap




Mojave 9 Fixed Barrel Spacer




Mojave 9 Pistons



Piston Spring



P-Series 3-Lug



P-Series Fixed Mounts

P-SERIES MOUNTS & ACCESSORIES

MOJAVE 9

Rating 9mm, 300BLK Subsonic (full-auto)
 350 Legend, 300BLK Supersonic (semi-auto)
 Dimensions 7.64" x 1.405" (Long) / 5.89" x 1.405" (Short)
 Weight 9.6 oz (Long) / 8.2 oz (Short)
 Materials 6AL-4V DMLS Ti, 7075 Alum, Stainless Steel

KEYMICRO ADAPTER & MOUNTS

DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

XENO ADAPTER & MOUNTS

DA457	Xeno Adapter (P-Series)
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA130	Xeno Xeno 3-Prong, 5/8-24, 9mm Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore

P-SERIES FIXED MOUNTS

DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore

MOJAVE 9 PISTONS


PB440	Mojave 9 Piston 1/2-28, 9mm Bore
PB441	Mojave 9 Piston M13.5x1LH, 9mm Bore

P-SERIES ACCESSORIES

DA444	P-Series 3 Lug
-------	----------------

MOJAVE ACCESSORIES

PB500	Mojave Booster Assembly
PB144	Mojave 9 Front Cap
DM3000	P-Series Front Cap Tool
PB139	Mojave Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9



Learn more about the Mojave 9

Wipe Front Cap

Flash Hider Front Cap

Front Cap

R-SERIES FRONT CAPS & ACCESSORIES

Xeno Mounts

Xeno P-Series Adapter

XENO ADAPTER & MOUNTS

Perform alignment check

KeyMo Zero

KeyMo Flash Hider

Micro Flash Hider

Micro Brake

Keymicro Adapter

KEYMICRO ADAPTER & MOUNTS

P-Series Barrel Spacer

P-Series Pistons

P-Series Booster Assembly

P-Series 3-Lug

P-Series Fixed Mounts

P-SERIES MOUNTS & ACCESSORIES

WOLFMAN

Rating9mm, 5.56, .300BLK, 7.62x39
 Dimensions7.8" x 1.618" (Long) / 5.5" x 1.618" (Short)
 Weight15.4 oz (Long) / 11 oz (Short)
 Materials17-4 Stainless Steel

R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore

KEYMICRO ADAPTER & MOUNTS


DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

XENO ADAPTER & MOUNTS

DA457	Xeno Adapter (P-Series)
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore

KEYMO FLASH HIDERS

DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore



Learn more about the Wolfman

KEYMO FLASH HIDERS (CONT'D)

DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore

P-SERIES FIXED MOUNTS

DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore

P-SERIES PISTONS

DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore


P-SERIES ACCESSORIES

DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer


GHOST 45

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!

ACCESSORY FITMENT GUIDE



Flat Front Cap




Wipe Front Cap

GHOST FRONT CAPS & ACCESSORIES




Xeno Xero Mount




Xeno P-Series HUB Adapter


XENO ADAPTER & MOUNTS




KeyMo Zero



Micro Flash Hider




Micro Brake




Keymicro Adapter

KEYMICRO ADAPTER & MOUNTS




P-Series Barrel Spacer




P-Series Pistons




Piston Spring



P-Series Booster Assembly



P-Series 3-Lug



P-Series Fixed Mounts

P-SERIES MOUNTS & ACCESSORIES

GHOST 45

Rating45 Caliber, 9mm, 300BLK (subsonic)
 Dimensions8.75" x 1.375" (Long) / 6.2" x 1.375" (Short)
 Weight.12 oz (Long) / 9.6 oz (Short)
 MaterialsStainless Steel, Titanium, Aluminum

GHOST FRONT CAPS & ACCESSORIES

DM3000	P-Series Front Cap Tool
DA415	Ghost Front Cap 9mm
DA416	Ghost Wipe Long Front Cap 45 ACP
DA417	Ghost Front Cap 45 STD

KEYMICRO ADAPTER & MOUNTS

DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

XENO ADAPTER & MOUNTS

DA457	Xeno Adapter (P-Series)
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore

P-SERIES FIXED MOUNTS


DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore

P-SERIES PISTONS

DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore

P-SERIES ACCESSORIES


DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9




Learn more about the Ghost 45 ↑

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!


ACCESSORY FITMENT GUIDE



Flash Hider Front Cap




Front Cap




Sandman E-Brake

R-SERIES FRONT CAPS & ACCESSORIES




DIRECT THREAD MOUNTS (HUB)


Perform alignment check




Xeno Xero




Xeno Wee Brake




Xeno 3-Prong



Xeno A1 Omni Brake




Xeno A1 Flash Hider




Xeno HUB Adapter


XENO ADAPTER & MOUNTS




KeyMo Zero




Micro Flash Hider




Micro Brake



KeyMo Flash Hider



Keymount Brake



KeyMo HUB Adapter

KEYMO ADAPTER & MOUNTS


Rating5.56 NATO, 224 Valkyrie
MaterialsCobalt 6 baffles, Stainless Steel



SIERRA 5 XENO
Dimensions5.72" x 1.5" (with Xeno adapter)
Weight.....13.3 oz (with Xeno adapter)



SIERRA 5 KEYMO
Dimensions6.27" x 1.5" (with KeyMo adapter)
Weight.....15.4 oz (with KeyMo adapter)



R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
DA442	Sandman E-Brake, .30 Bore
DA201	Front Cap 5.56
DA206	Flash Hider Front Cap 5.56

KEYMO ADAPTER & MOUNTS

DA428	KeyMo HUB Adapter (R-Series)
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore

KEYMO ADAPTER & MOUNTS (CONT'D)


DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore

XENO ADAPTER & MOUNTS

DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

DIRECT THREAD MOUNTS (HUB)

LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 A1
LT313	11/16-24
LT315	5/8-24, SIG TAPER




Flash Hider Front Cap


Front Cap

R-SERIES FRONT CAPS & ACCESSORIES

Perform alignment check



DIRECT THREAD MOUNTS (HUB)



Xeno Xero

Xeno Wee Brake


Xeno 3-Prong

Xeno A1 Omni Brake

Xeno A1 Flash Hider

Xeno HUB Adapter

XENO ADAPTER & MOUNTS



KeyMo Zero

Micro Flash Hider

Micro Brake

KeyMo Flash Hider


Keymount Brake

KeyMo HUB Adapter

KEYMO ADAPTER & MOUNTS

LAZARUS 6

Rating 6mm, 5.56/.223
 Dimensions 1.63"x5.89" (Xeno), 1.63"x6.4" (KeyMo)
 Weight 16.5 oz (Xeno) / 18.4 oz (KeyMo)
 Materials Haynes 282



Learn more about the Lazarus 6

R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
DA201	Front Cap 5.56
DA206	Flash Hider Front Cap 5.56

KEYMO ADAPTER & MOUNTS

DA428	KeyMo HUB Adapter [R-Series]
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore

KEYMO ADAPTER & MOUNTS (CONT'D)

DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore

XENO ADAPTER & MOUNTS


DA455	Xeno Adapter - HUB [R-Series]
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

DIRECT THREAD MOUNTS (HUB)


LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 A1
LT313	11/16-24
LT315	5/8-24, SIG TAPER

SANDMAN

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!



Perform alignment check



RatingUp to .300 RUM
MaterialsStainless Steel, Cobalt 6




SANDMAN K
Dimensions5.4" x 1.5"
Weight.....12.8 oz



SANDMAN S
Dimensions6.8" x 1.5"
Weight.....17.7 oz



SANDMAN L
Dimensions 8.9" x 1.5"
Weight..... 21.8 oz



KEYMO ADAPTER & MOUNTS

DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore


KEYMO ADAPTER & MOUNTS (CONT'D)

DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore


R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
DA442	Sandman E-Brake, .30 Bore
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62


ACCESSORY FITMENT GUIDE



Flash Hider Front Cap




Front Cap




Nomad E-Brake

Perform alignment check


R-SERIES FRONT CAPS & ACCESSORIES



DIRECT THREAD MOUNTS (HUB)




Xemax Mounts




Xemax HUB Adapter


XEMAX ADAPTER & MOUNTS




Xeno Xero




Xeno Wee Brake




Xeno 3-Prong



Xeno A1 Omni Brake




Xeno A1 Flash Hider




Xeno HUB Adapter


XENO ADAPTER & MOUNTS




KeyMo Zero




Micro Flash Hider




Micro Brake



KeyMo Flash Hider



Keymount Brake



KeyMo HUB Adapter

KEYMO ADAPTER & MOUNTS


Rating Up to 300 Rum



NOMAD 30
 Dimensions 6.5" x 1.735"
 Weight 14.5 oz
 Materials 17-4 Stainless Steel



NOMAD L
 Dimensions 8.39" x 1.735"
 Weight 18.3 oz
 Materials 17-4 Stainless Steel



R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
KA180	Nomad E-Brake .30 Bore
DA209A	Front Cap Nomad .30 Cal Black
DA209B	Front Cap Nomad .30 Cal Grey
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62

KEYMO ADAPTER & MOUNTS

DA428	KeyMo HUB Adapter (R-Series)
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore

KEYMO ADAPTER & MOUNTS (CONT'D)

DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore

XENO ADAPTER & MOUNTS

DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore


DIRECT THREAD MOUNTS (HUB)

LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER


NOMAD[™] XC

ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!


ACCESSORY FITMENT GUIDE



Flash Hider Front Cap




Front Cap




Nomad E-Brake

Perform alignment check


R-SERIES FRONT CAPS & ACCESSORIES



DIRECT THREAD MOUNTS (HUB)




Xemax Mounts




Xemax HUB Adapter


XEMAX ADAPTER & MOUNTS




Xeno Xero




Xeno Wee Brake




Xeno 3-Prong



Xeno A1 Omni Brake




Xeno A1 Flash Hider




Xeno HUB Adapter


XENO ADAPTER & MOUNTS




KeyMo Zero




Micro Flash Hider




Micro Brake



KeyMo Flash Hider



Keymount Brake



KeyMo HUB Adapter

KEYMO ADAPTER & MOUNTS


Rating Up to 300 Rum



NOMAD TI XC
 Dimensions 6.74" x 1.76"
 Weight 9.6 oz
 Materials Titanium



NOMAD LTI XC
 Dimensions 8.8" x 1.76"
 Weight 12.2 oz
 Materials Titanium



R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
KA180	Nomad E-Brake, .30 Bore
DA209A	Front Cap Nomad .30 Cal Black
DA209B	Front Cap Nomad .30 Cal Grey
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62

KEYMO ADAPTER & MOUNTS	
DA428	KeyMo HUB Adapter (R-Series)
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore



KEYMO ADAPTER & MOUNTS (CONT'D)	
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore

XENO ADAPTER & MOUNTS	
DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore



DIRECT THREAD MOUNTS (HUB)	
LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER



ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!




Perform alignment check



ACCESSORY FITMENT GUIDE

WOLVERINE

Rating Up to 7.62x54R
Dimensions 7.4" x 1.5" tube/1.93" outside diameter
Weight 19.8 oz - 24.4 oz
Materials Stainless Steel, Cobalt 6



WOLVERINE COLLARS AND THREAD INSERTS

WV101	Collar for M13,M14,M15,M16, 5/8-24, 1/2-28 Inserts
WV111	Collar for M24 Inserts
WV121	Collar for M26 Inserts
WV200	14x1mm LH Insert, .30 Bore
WV201	24mm RH Insert, .30 Bore
WV202	26mm LH w/M26 Collar, .30 Bore
WV203	15mm RH Insert, .30 Bore
WV204	14mm RH Insert, .30 Bore
WV205	1/2-28 Insert, .30 Bore
WV206	5/8-24 Insert, .30 Bore
WV207	13mm RH Insert, .30 Bore
WV208	16mm/RPD Insert, .30 Bore
WV209	24mm RH LONG Insert, .30 Bore
WV210	14x1mm LH LONG Insert, .30 Bore

R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
KA180	Nomad E-Brake .30 Bore (check barrel concentricity)
DA212	Wolverine Front Cap 7.62
DA201	Front Cap 5.56 (check barrel concentricity)
DA204	Front Cap 7.62 (check barrel concentricity)
DA205	Front Cap 6.5mm (check barrel concentricity)
DA206	Flash Hider Front Cap 5.56 (check barrel concentricity)
DA207	Flash Hider Front Cap 7.62 (check barrel concentricity)

WOLVERINE HUB ADAPTER

WV211	Wolverine HUB Adapter + Lock Ring
-------	-----------------------------------

XENO ADAPTER & MOUNTS


DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1 RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

KEYMO ADAPTER & MOUNTS

DA428	KeyMo HUB Adapter (R-Series)
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore

PRIMAL


ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!



All Xeno Mounts

Xeno HUB Adapter


XENO ADAPTER & MOUNTS



Xemax Mounts

Xemax HUB Adapter

XEMAX ADAPTER & MOUNTS




All Keymount and Micro Mounts




KeyMo HUB Adapter

KEYMO ADAPTER & MOUNTS



DIRECT THREAD MOUNTS (HUB)




Wipe Front Cap


Flash Hider Front Cap

Front Cap


R-SERIES FRONT CAPS & ACCESSORIES




P-Series Booster Assembly & Pistons




P-Series Fixed Mounts



P-Series 3-Lug



Xeno P-Series HUB Adapter



Keymicro Adapter

P-SERIES MOUNTS, ADAPTERS, AND ACCESSORIES




HUB TO P-SERIES ADAPTER

Perform alignment check

PRIMAL

Rating458 with energies up to .338 Lapua
 Dimensions . 7.9" x 1.618"
 Weight 16.4 oz
 Materials . . . 17-4 Stainless Steel



R-SERIES FRONT CAPS & ACCESSORIES

DA208	R-Series MK2 Front Cap Tool
DA211	Primal Front Cap .45
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore

HUB TO P-SERIES ADAPTER

SD502	HUB to P-Series Adapter
-------	-------------------------

DIRECT THREAD MOUNTS (HUB)

LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER

KEYMO ADAPTER & MOUNTS

DA428	KeyMo HUB Adapter (R-Series)
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore

Learn more about the Primal →



XENO ADAPTER & MOUNTS

DA455	Xeno Adapter - HUB (R-Series)
DA457	Xeno Adapter (P-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

XEMAX ADAPTER & MOUNTS

DA456HT	Xemax Adapter
DA150	Muzzle Brake 5/8-24, .338LM, .338 Bore
DA151	Muzzle Brake 3/4-24, .338LM, .338 Bore
DA152	Muzzle Brake 11/16-24, .45 Cal, .458 Bore
DA153	Muzzle Brake M18x1, .338LM, .338 Bore
DA154	Muzzle Brake M18x1.5 AI, .338LM, .338 Bore
DA155	Muzzle Brake 3/4-20, .338LM, .338 Bore

KEYMICRO ADAPTER & MOUNTS

DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

P-SERIES FIXED MOUNTS

DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore


P-SERIES PISTONS

DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore


P-SERIES ACCESSORIES

DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

ACCESSORY FITMENT GUIDE




All Xeno Mounts




Xeno HUB Adapter

XENO ADAPTER & MOUNTS




Xemax Mounts




Xemax HUB Adapter

XEMAX ADAPTER & MOUNTS




All Keymount and Micro Mounts




KeyMo HUB Adapter


KEYMO ADAPTER & MOUNTS



DIRECT THREAD MOUNTS (HUB)



Flash Hider Front Cap



Front Cap

Perform alignment check

R-SERIES FRONT CAPS & ACCESSORIES

NOMAX 33
 Rating33XC
 Dimensions1.75"x9.6"
 Weight.15.4 oz
 MaterialsTitanium

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA213A	Front Cap Nomax .33
DA211	Primal Front Cap .45
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
XEMAX ADAPTER & MOUNTS	
DA456HT	Xemax Adapter
DAI50	Muzzle Brake 5/8-24, .338LM, .338 Bore
DAI51	Muzzle Brake 3/4-24, .338LM, .338 Bore
DAI52	Muzzle Brake 11/16-24, .45 Cal, .458 Bore
DAI53	Muzzle Brake M18x1, .338LM, .338 Bore
DAI54	Muzzle Brake M18x1.5 AI, .338LM, .338 Bore
DAI55	Muzzle Brake 3/4-20, .338LM, .338 Bore
DIRECT THREAD MOUNTS (HUB)	
LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER
XENO ADAPTER & MOUNTS	
DA455	Xeno Adapter - HUB (R-Series)
DAI21	A1 Flash Hider 1/2-28, .30 Bore
DAI22	A1 Flash Hider 5/8-24, .30 Bore
DAI23	A1 Omni Brake 1/2-28, .30 Bore
DAI24	A1 Omni Brake 5/8-24, .30 Bore
DAI39	A1 Omni Brake M14x1RH, .30 Bore
DAI27	Xeno Xero, 1/2-28, 9mm Bore
DAI28	Xeno Xero, 5/8-24, .45 Bore
DAI43	Xeno Xero, 9/16-24 RH, 9mm Bore
DAI44	Xeno Xero, .578-28, .45 Bore
DAI46	Xeno Xero, 5/8-32, .45 Bore
DAI47	Xeno Xero, 11/16-24, .45 Bore
DAI29	Xeno 3-Prong, 1/2-28, 6mm Bore
DAI30	Xeno 3-Prong, 5/8-24, 9mm Bore
DAI25	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DAI26	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DAI35	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore




Learn more about the Nomax 33


KEYMO ADAPTER & MOUNTS	
DA428	KeyMo HUB Adapter (R-Series)
DAI01	KeyMo Muzzle Brake 1/2-28, .30 Bore
DAI02	KeyMo Muzzle Brake 5/8-24, .30 Bore
DAI03	KeyMo Muzzle Brake 3/4-24, .338 Bore
DAI04	KeyMo Muzzle Brake M18x1, .338 Bore
DAI06	KeyMo Muzzle Brake M18x1.5, .338 Bore
DAI60	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DAI61	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DAI62	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DAI63	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore
KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DAI09	Micro Brake 1/2-28, 9mm Bore
DAI10	Micro Brake 1/2-36, 9mm Bore
DAI11	Micro Brake 5/8-24, 9mm Bore
DAI15	Micro FH 1/2-28, 9mm Bore
DAI16	Micro FH 5/8-24, 9mm Bore
DAI17	Micro FH M13.5x1LH, 9mm Bore
DAI19	Micro FH 1/2-28 SIG TAPER, .22 Bore
DAI20	Micro FH 5/8-24 SIG TAPER, .30 Bore

PYRO 2.0


ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE!!!



PYRO 2.0 SHROUD



PYRO 2.0 BLAST SHIELD




All Keymount and Micro Mounts




KeyMo HUB Adapter

KEYMO ADAPTER & MOUNTS




DIRECT THREAD MOUNTS (HUB)




R-SERIES FRONT CAPS & ACCESSORIES

Perform alignment check




All Xeno Mounts



Xeno HUB Adapter

XENO ADAPTER & MOUNTS




Xemax HUB Adapter

XEMAX ADAPTER & MOUNTS

PYRO 2.0

The Pyro 2.0 is a modular muzzle device. It quickly turns your flash hider into a muzzle brake and attaches with any of our R-Series HUB mounts and adapters. Also available is a blast shield that pushes down range away from the shooting line.

PYRO	
DA202A	Pyro 2.0 Kit - Includes DA428 Keymo & DA204 7.62 Front Cap
DA435	Pyro 2.0 Shroud Only
DA432	Pyro 2.0 Blast Shield
DIRECT THREAD MOUNTS (HUB)	
LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER
R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore
KEYMO ADAPTER & MOUNTS	
DA428	KeyMo HUB Adapter (R-Series)
DA101	KeyMo Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo Muzzle Brake M18x1, .338 Bore
DA106	KeyMo Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo Flash Hider 1/2-28, .22 Bore
DA302	KeyMo Flash Hider 5/8-24, .30 Bore
DA303	KeyMo Flash Hider M14x1LH, .30 Bore
DA304	KeyMo Flash Hider M15x1, .30 Bore
DA305	KeyMo Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo Flash Hider 9/16-24LH / Metric FAL, .30 Bore



PYRO 2.0 KIT
Includes DA428 Keymo & DA204 7.62 Front Cap

KEYMO ADAPTER & MOUNTS (CONT'D)	
DA308	KeyMo Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo Flash Hider M13x1LH Steyr Aug, .22 Bore
DA320	KeyMo Zero 1/2-28, 9mm Bore
DA321	KeyMo Zero 5/8-24, .45 Bore
DA322	KeyMo Zero .578-28, .45 Bore
DA323	KeyMo Zero 9/16-24RH, 9mm Bore
DA324	KeyMo Zero 11/16-24, .45 Bore
XENO ADAPTER & MOUNTS	
DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA139	A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno Xero, 1/2-28, 9mm Bore
DA128	Xeno Xero, 5/8-24, .45 Bore
DA143	Xeno Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno Xero, .578-28, .45 Bore
DA146	Xeno Xero, 5/8-32, .45 Bore
DA147	Xeno Xero, 11/16-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

ACCESSORY FITMENT GUIDE



DEAD AIR
silencers

DeadAirSilencers.com
801-857-4232
info@deadairsilencers.com